



# Taiyo




PTL-31 pendant light  
φ1130×H1485

4.470,00




PTL-32 pendant light  
φ1130×H1295

4.780,00



PTL-231 pendant light  
φ1130×H2050

6.140,00




PTM-31 pendant light  
φ600×H735

2.290,00




PTM-32 pendant light  
φ600×H645

2.350,00



PTM-231 pendant light  
φ600×H1025

3.220,00



PTM-3231 pendant light  
φ600×H1410

4.440,00




PTM-13213 pendant light  
φ600×H1730

5.310,00




Japanese paper


## Taiyo



PTL-31 pendant light  
φ1130×H1485



PTL-32 pendant light  
φ1130×H1295



PTL-231 pendant light  
φ1130×H2050

Type of installation	Ceiling pendant
Recommended bulb	LED 810lm / 2700K (Not Included)
Socket type	EU : E27 / US : E26
Canopy	φ100×H200mm, Metal matte white
Voltage	EU : 220V / US : 120V
Environment	Indoor – Dry location
Dimmable	NA
Material, Finish	Lampshade : Japanese paper (washi) with bamboo wire. Internal frame : Steel white
Switching	NA
Cord length	2m (White)

## Taiyo




PTM-31 pendant light  
 $\phi$  600 × H735



PTM-32 pendant light  
 $\phi$  600 × H645



PTM-231 pendant light  
 $\phi$  600 × H1025



PTM-3231 pendant light  
 $\phi$  600 × H1410



PTM-13213 pendant light  
 $\phi$  600 × H1730

Type of installation	Ceiling pendant
Recommended bulb	LED 810lm / 2700K (Not Included)
Socket type	EU : E27 / US : E26
Canopy	$\phi$ 100 × H200mm, Metal matte white
Voltage	EU : 220V / US : 120V
Environment	Indoor – Dry location
Dimmable	NA
Material, Finish	Lampshade : Japanese paper (washi) with steel wire, which is pre-coated with Japanese paper (washi). Internal frame : Steel white
Switching	NA
Cord length	2m (White)