

bisque



BIS-01 pendant light
ϕ250 × H209
420,00



BIS-02 pendant light
ϕ320 × H268
530,00




BIS-03 pendant light
ϕ460 × H385
750,00



BIS-04B pendant light
ϕ629 × H565
1.490,00



BIS-05B pendant light
ϕ777 × H690
1.910,00



Aluminum
Matte white

bisque



BIS-01 pendant light
ϕ250×H209



BIS-02 pendant light
ϕ320×H268



BIS-03 pendant light
ϕ460×H385

Type of installation	Ceiling pendant
Recommended bulb	LED 810lm / 2700K (Not Included)
Socket type	EU : E27 / US : E26
Canopy	ϕ100×H200mm, Metal matte white
Voltage	EU : 220V / US : 120V
Environment	Indoor – Dry location
Dimmable	NA
Material, Finish	Lampshade : Aluminum matte white
Switching	NA
Cord length	2m (White)

bisque



BIS-04B pendant light
ϕ629 × H565



BIS-05B pendant light
ϕ777 × H690

Type of installation	Ceiling pendant
Recommended bulb	LED 1520lm / 2700K (Not Included)
Socket type	EU : E27 / US : E26
Canopy	ϕ100 × H200mm, Metal matte white
Voltage	EU : 220V / US : 120V
Environment	Indoor – Dry location
Dimmable	NA
Material, Finish	Lampshade : Aluminum matte white
Switching	NA
Cord length	2m (White)